

## Message

**From:** Stollenwerk, Jeff (MPCA) [jeff.stollenwerk@state.mn.us]  
**Sent:** 11/30/2017 3:49:13 PM  
**To:** Melgin, Wendy [melgin.wendy@epa.gov]  
**Subject:** Re: FW: PolyMet 401 Certification Update

Hi Wendy,

I think you are the only one that needs to call so you can call the phone number on the Location line of the meeting invite 651-757-2707. We can add a few more people that way if necessary - assuming I figure out how to use our new phone system.

I'm using my conference call line for at different meeting at 3:00 so I can't use it here. I'm hoping this meeting doesn't run that long but want to be prepared in case it happens.

Thanks,  
 Jeff

---

**From:** Melgin, Wendy <melgin.wendy@epa.gov>  
**Sent:** Thursday, November 30, 2017 9:24 AM  
**To:** Stollenwerk, Jeff (MPCA)  
**Subject:** RE: FW: PolyMet 401 Certification Update

Hi Jeff, is there a call in number too? I'm working from home today and it looks like my Skype connection is not working.

---

**From:** Stollenwerk, Jeff (MPCA) [mailto:jeff.stollenwerk@state.mn.us]  
**Sent:** Tuesday, November 28, 2017 4:08 PM  
**To:** Burdick, Melanie <Burdick.Melanie@epa.gov>; Melgin, Wendy <melgin.wendy@epa.gov>; Swenson, Peter <swenson.peter@epa.gov>  
**Subject:** RE: FW: PolyMet 401 Certification Update

This meeting is set up with a Skype connection (see below). Will that work for you at EPA?

Thanks,  
 Jeff

Jeff Stollenwerk | Manager  
 Industrial Water Section  
 525 Lake Ave. S., Suite 400 | Duluth, MN | 55802  
 Voice (218) 302-6612 | Fax (218) 723-4727



-----Original Appointment-----

**From:** Burdick, Melanie [mailto:Burdick.Melanie@epa.gov]  
**Sent:** Tuesday, November 28, 2017 12:55 PM  
**To:** Stollenwerk, Jeff (MPCA)  
**Subject:** Accepted: FW: PolyMet 401 Certification Update

**When:** Thursday, November 30, 2017 1:30 PM-3:30 PM (UTC-06:00) Central Time (US & Canada).

**Where:** MN\_MPCA\_#RM 101 Cap 12 (651-757-2707)

W;

---

→ [Join Skype Meeting](#)

Trouble Joining? [Try Skype Web App](#)

[Help](#)

---